



SCHWARZE AA-TACH

Air Sweeper

Convenient
Exceptional Durability
Powerful



Convenient
Exceptional Durability
Powerful

SCHWARZE INDUSTRIES AA-TACH SWEEPING SYSTEMS

Schwarze Industries is dedicated to using a Total Performance Teamwork concept to produce, maintain and market the finest power sweeping equipment in the world. All of our products are made with pride in the USA, and we offer a broad line, with more sweeper models to choose from than any other manufacturer in America.

The concept is to eliminate the need for an expensive, dedicated chassis to hold the sweeper. This feature has made the current AA-TACH sweepers, which already included a slide-in and trailer-mounted model, a top choice for entry-level and sideline sweeping contractors. The machines are mostly in use by universities, parks and rec facilities and other agencies not wanting the expense of a dedicated chassis and sweeper combination.

The AA-TACH HD model introduces to the sweeping community yet another level of ease of use and cost-effectiveness.

Rather than requiring manual removal of collected debris, the new high-dumping slide-in model offloads via hydraulics at a dumping height of 60". As a result, depositing collected litter directly into dumpsters is accomplished with just the push of a button. This feature provides greater productivity and makes it a snap for the contents of the hopper to be offloaded into individual customer dumpsters, if desired.

The HD's pickup system is operated via a 6-bladed pickup fan that is direct-mounted and made of abrasion-resistant steel. The sweeping head has a trailing



arm design, and the skid plates use carbide inserts to assure a long service life. View the HD Specifications.

Standard equipment on the AA-TACH PVII model includes a 22.0 hp V-twin gasoline auxiliary engine, 25-gallon non-corrosive plastic water tank, and an impact and abrasion-resistant, 2 cubic yard hopper. Sweeper may be mounted onto a wide variety of popular, standard production pickup chassis. The easy-to-operate AA-TACH PVII sweeper is an ideal entry-level or backup sweeper since no expensive chassis is needed.

Available options include a mounted clean air blower for easier curblin cleaning. Also available are a strobe light, backpack blower rack and a flood-light. One person can load or offload the entire sweeper in about 5 minutes using the 4 supplied jackstands.



AUXILIARY ENGINE Manufacturer Robin Subaru Model EH-65 Number of Cylinders V-twin cylinder (4-cycle) Displacement 653 cc (39.90 cu.in.) Compression Ratio 8:3:1 Brake Horsepower 22.0 hp @ 3,600 rpm Starting System Electric start Fuel Gasoline / 5 gallon tank capacity Oil Filter 1550 cc (1.64 qt.) Charging System 12 volt; 15 amp		DUST CONTROL Type Gravity-to-intake side of sweeping head Location Outside at sweeping head Controls Outside at water tank Water Capacity 25 gallons (94.6 L) Tank Construction Non-corrosive plastic		STANDARD FEATURES Pulse-type fuel pump Full pressure lubrication Manual throttle & choke controls with remote cables Full flow spin-on oil filter Solenoid fuel shutdown carburetor Cast iron cylinder sleeves Oil pressure shut-off switch Large dual element air cleaner Large ball bearing on PTO side 12V electric starter with remote mount key switch	
DEBRIS HOPPER Capacity 2 cu. yd. (1.53 m3) usable Construction Impact and abrasion-resistant polyethylene Dust Separator Replaceable Separator Screen Slide-in; replaceable		WEIGHT Curb Weight 1,000 lbs (approximately)		OPTIONAL EQUIPMENT Strobe Light Flood Light Mounted clean air blower Backpack blower rack Trailer mounted	
BLOWER Type Radial blade Drive Direct drive Speed 3,600 rpm Number of Blades 6 Diameter 20" Construction Welded; abrasion-resistant steel Mounting Direct Mount		WARRANTY 1 year limited warranty		ALSO AVAILABLE IN THE SCHWARZE'S AA-TACH SWEEPERS LINE High Dump Model Trailer-Mounted Model	
STORAGE Stands 4; one at each corner Lift / Lower Simple manual crank		SWEEPING HEAD Type Debris-moving blast and suction Suspension 2 trailing arms Construction Steel Width 78" (1,981 mm) Flap Design 2 flaps Skids Tungsten Carbide Suction Hose Diameter 10" (254 mm) Blast Hose Diameter 10" (254 mm)			

INFINITE POSSIBILITIES

National Headquarters:
 1055 Jordan Road N. E. • Huntsville, AL 35811
 PHONE (256) 851-1200 • FAX (256) 851-1105 • 1-800-879-7933 (toll free US and Canada)
 WEB: www.schwarze.com • EMAIL: support@schwarze.com

